

**IN THE CLAIMS:**

*Please find below a listing of all of the pending claims. The statuses of the claims are set forth in parentheses.*

1. (Previously presented) A method for identifying music, comprising the steps of:
  - (a) recording a sample of audio data of the music to be identified;
  - (b) deriving a sample time signal from the audio data with an A/D converter;
  - (c) sorting a plurality of songs, wherein each song is represented by a time signal;and
  - (d) matching the sample time signal with the time signal of a song in the plurality of songs.
2. (Original) The method of claim 1, where the sorting step further comprises:  
generating a sample feature vector for the sample time signal;  
generating a feature vector for each time signal of the songs; and  
sorting the songs in an ascending order based on feature space distance between the sample feature vector and respective feature vectors for each time signal of the songs.
3. (Original) The method of claim 2, where the generating steps further comprise extracting features from the sample time signal and the time signals of the songs.
4. (Original) The method of claim 3, where the features comprise beat, noise, tone, pitch, loudness and tempo.

5. (Original) The method of claim 1, where the sorting step further comprises:  
generating a sample feature vector for the sample time signal;  
generating a plurality of feature vectors for one or more time signals of the songs,  
wherein each feature vector of the plurality of feature vectors for a time signal is generated  
from a different segment of the song corresponding to the time signal;  
separating the plurality of feature vectors for each time signal as distinct entries; and  
sorting the entries in an ascending order based on feature space distance between the  
sample feature vector and respective feature vectors for the entries.

6. (Original) The method of claim 2, where the matching step further comprises:  
comparing the sample time signal to a first time signal in the ascending order;  
computing a signal match waveform for the first time signal in relation to the sample  
time signal;  
playing the song corresponding to the first time signal if the signal match waveform  
satisfies a decision rule;  
indicating by a user whether the played song matches the sample of audio data; and  
presenting to the user song information corresponding to the first time signal if the  
user indicates a match.

7. (Original) The method of claim 6, where the signal match waveform is computed  
by calculating a cross-correlation of the first time signal in relation to the sample time signal.

8. (Original) The method of claim 7, where the decision rule is satisfied if an overall absolute maximum of the cross-correlation computed for the first time signal is greater than an average cross-correlation by a predetermined factor.

9. (Original) The method of claim 7, where the decision rule is satisfied if an overall absolute maximum of the cross-correlation computed for the first time signal is greater than an average cross-correlation by a predetermined factor, and no incorrect songs have been presented to the user.

10. (Original) The method of claim 6, where the song information comprises song title, artist and performance.

11. (Original) The method of claim 6, further comprising, after the computing step, the step of:

comparing the sample time signal to a next time signal in the ascending order, and subsequently repeating the computing step with respect to the next time signal, if the signal match waveform does not satisfy the decision rule for the first time signal.

12. (Original) The method of claim 6, further comprising the step of:

comparing the sample time signal to a next time signal in the ascending order, and subsequently repeating the computing, playing, indicating and presenting steps with respect to the next time signal, if the user indicates that the played song does not match the sample of audio data.

13. (Previously presented) A system for identifying music, comprising:  
a means for recording a sample of audio data of the music to be identified;  
a means for deriving a sample time signal from the audio data with an A/D converter;  
a means for sorting a plurality of songs, wherein each song is represented by a time signal; and  
a means for matching the sample time signal with the time signal of a song in the plurality of songs.

14. (Original) The system of claim 13, where the means for sorting further comprises:  
a means for generating a sample feature vector for the sample time signal;  
a means for generating a feature vector for each time signal of the songs; and  
a means for sorting the songs in an ascending order based on feature space distance between the sample feature vector and respective feature vectors for each time signal of the songs.

15. (Original) The system of claim 14, where the means for generating a sample feature vector and the means for generating a feature vector for each time signal of the songs further comprise a means for extracting features from the sample time signal and the time signals of the songs.

16. (Original) The system of claim 15, where the features comprise beat, noise, tone, pitch, loudness and tempo.

17. (Original) The system of claim 13, where the means for sorting further comprises:

a means for generating a sample feature vector for the sample time signal;

a means for generating a plurality of feature vectors for one or more time signals of the songs, wherein each feature vector of the plurality of feature vectors for a time signal is generated from a different segment of the song corresponding to the time signal;

a means for separating the plurality of feature vectors for each time signal as distinct entries; and

a means for sorting the entries in an ascending order based on feature space distance between the sample feature vector and respective feature vectors for the entries.

18. (Original) The system of claim 14, where the means for matching further comprises:

a means for comparing the sample time signal to a first time signal in the ascending order;

a means for computing a signal match waveform for the first time signal in relation to the sample time signal;

a means for playing the song corresponding to the first time signal if the signal match waveform satisfies a decision rule;

a means for indicating by a user whether the played song matches the sample of audio data; and

a means for presenting to the user song information corresponding to the first time signal if the user indicates a match.

19. (Original) The system of claim 18, where the signal match waveform is computed by calculating a cross-correlation of the first time signal in relation to the sample time signal.

20. (Original) The system of claim 19, where the decision rule is satisfied if an overall absolute maximum of the cross-correlation computed for the first time signal is greater than an average cross-correlation by a predetermined factor.

21. (Original) The system of claim 19, where the decision rule is satisfied if an overall absolute maximum of the cross-correlation computed for the first time signal is greater than an average cross-correlation by a predetermined factor, and no incorrect songs have been presented to the user.

22. (Original) The system of claim 18, where the song information comprises song title, artist and performance.

23. (Previously presented) A method for identifying music, comprising the steps of:

- (a) recording a sample of audio data of the music to be identified;
- (b) deriving a sample time signal from the audio data with an A/D converter; and
- (c) matching the sample time signal with a time signal of the plurality of time signals in a database, wherein each of the plurality of times signals represents a song in the database.

**PATENT**

Atty Docket No.: 10014315-1

App. Ser. No.: 10/004,211

24. (Original) The method of claim 23, where the matching step further comprises:  
computing a signal match intensity for the plurality of time signals in the database in  
relation to the sample time signal;

selecting a time signal of the plurality of times signals having a maximum signal  
match intensity; and

presenting to a user song information corresponding to the selected time signal.

25. (Original) The method of claim 24, where the song information comprises song  
title, artist and performance.

26. (Previously presented) A system for identifying music, comprising:  
a means for recording a sample of audio data of the music to be identified;  
a means for deriving a sample time signal from the audio data with an A/D converter;  
and

a means for matching the sample time signal with a time signal of the plurality of time  
signals in a database, wherein each of the plurality of time signals represents a song in the  
database.

27. (Original) The system of claim 26, where the means for matching further  
comprises:

a means for computing a signal match intensity for the plurality of time signals in the  
database in relation to the sample time signal;

a means for selecting a time signal of the plurality of time signals having a maximum signal match intensity; and

a means for presenting to a user song information corresponding to the selected time signal.

28. (Original) The method of claim 27, where the song information comprises song title, artist and performance.

29. (Previously presented) A method for identifying music, comprising the steps of:

(a) recording a sample of audio data of the music to be identified;

(b) generating a first plurality of time signals from the sample of audio data with an A/D converter, wherein the first plurality of time signals are generated in distinct frequency bands;

(c) generating a second plurality of time signals from songs in a data base, wherein the second plurality of time signals are generated in the same distinct frequency bands as the first plurality of time signals; and

(d) matching the first plurality of time signals with the second plurality of time signals.